

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	985	((711/114).CCLS.) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 17:00
L2	51	((711/114).CCLS.) and @ad < "20010829" and (initiali\$4 with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 17:01
L3	36	(RAID (disk near array)) same (initiali\$4 with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 17:02
L4	31	((RAID (disk near array)) same (initiali\$4 with zero)) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 17:02
L5	75	((RAID (disk near array)) same ((format scrub writ\$3) with zero)) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 17:02
L6	581	((710/10).CCLS.) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 17:05
L7	27	((710/10).CCLS.) and @ad < "20010829" and (initial\$7 with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 17:05
L8	65	((disk storage) with (system device)) same ((request command) with queue) same ((command request) with complet\$3) and (queue with (full overflow)) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 17:05
L9	75	((RAID (disk near array)) same ((format scrub writ\$3) with zero)) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 17:06

L10	35	((RAID (disk near array)) same ((initializ\$3 format scrub writ\$3) with zero)) and @ad < "20010829" and queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 17:06
S1	2	("5,943,689").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 20:07
S2	1249	(711/114).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/01 16:27
S3	0	("I2and@ad<20010829").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/01 16:28
S4	923	((711/114).CCLS.) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 16:28
S5	48	((((711/114).CCLS.) and @ad < "20010829") and (initiali\$4 with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 20:02
S6	35	(RAID (disk near array)) same (initiali\$4 with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 20:17
S7	31	((RAID (disk near array)) same (initiali\$4 with zero)) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 20:03
S8	83	(RAID (disk near array)) same ((format scrub writ\$3) with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 20:18

S9	68	((RAID (disk near array)) same ((format scrub writ\$3) with zero)) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 20:19
S10	2	("6425053").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/02 15:31
S11	556	(710/10).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/02 15:31
S12	0	("L14AND@AD<20010829").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/02 15:31
S13	537	((710/10).CCLS.) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 15:32
S14	25	((((710/10).CCLS.) and @ad < "20010829") and (initial\$7 with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 15:33
S15	2	("20030046490").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 20:08
S16	51	((((711/114).CCLS.) and @ad < "20010829") and (initiali\$4 with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 19:24
S17	10	("5247674" "5394532" "5475822" "5659704" "5682509" "5774643" "5813025" "5829053" "5857112" "6467023").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/17 19:26

S18	27	((710/10).CCLS.) and @ad < "20010829") and (initial\$7 with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 19:29
S19	969	((711/114).CCLS.) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 19:32
S20	179	S19 and ((request command) with queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 19:44
S21	57	S19 and ((request command) with queue) same ((command request) with complet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 14:17
S22	381	((disk storage) with (system device)) same ((request command) with queue) same ((command request) with complet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:00
S23	266	S22 and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 15:03
S24	64	((disk storage) with (system device)) same ((request command) with queue) same ((command request) with complet\$3) and (queue with (full overflow)) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:01
S25	51	((711/114).CCLS.) and @ad < "20010829") and (initial\$4 with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 20:06
S26	31	((RAID (disk near array)) same (initial\$4 with zero)) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 20:08
S27	97	(RAID (disk near array)) same ((format scrub writ\$3) with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 20:08

S28	75	((RAID (disk near array)) same ((format scrub writ\$3) with zero)) and @ad < "20010829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 20:16
S29	35	((RAID (disk near array)) same ((initializ\$3 format scrub writ\$3) with zero)) and @ad < "20010829" and queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 20:17